



NEWPORT
KENTUCKY

City of Newport, KY

Invitation to Bid

Public Works Vehicle

The City of Newport Public Works Department is accepting sealed bids for one (1) new 2025 Aluminum 2500 Gallon Water Truck.

Bid specifications are available on the City website <http://newportky.gov/City-Government/Procurement.aspx> or can be picked up from the City Clerk's office at 998 Monmouth, 2nd Floor, Newport, KY 41071, Telephone 859.292.3668. Any questions about the bid specifications should be directed to Brett Finnell at 859-620-8666.

All sealed bids shall be delivered to City Clerk Tiffany Myers, 998 Monmouth St., Newport, KY 41071, before 10:15 a.m. local time on Friday, March 28, 2025, at which time the bids will be publicly opened and read aloud. **All bids shall be in a sealed envelope and clearly marked "Public Works Water Truck Bid" in the bottom left corner.** The City of Newport is not responsible for the premature opening of or failure to open a sealed bid that is not properly addressed or identified. All information on the bid form shall be typed, written, or printed in ink. Please do not use whiteout or correction tape on the bid form. Doing so may result in the rejection of the bid.

The City of Newport reserves the right to reject all bids and waive all formalities in the award of the bid.

Published on the city website March 14, 2025



NEWPORT
KENTUCKY

City of Newport, KY Bid Specifications for Public Works Vehicles

INFORMATION FOR BIDDERS

SUBMISSION AND OPENING OF BIDS

The City of Newport Public Works Department is accepting sealed bids for one (1) new 2025 Aluminum 2500 Gallon Water Truck. The vehicle shall include all standard vehicle equipment and manufacturer warranties and the specified additional options and/or upgrades. The bidder is responsible for transporting all vehicles to the City of Newport, Kentucky.

All sealed bids shall be delivered to City Clerk Tiffany Myers, 998 Monmouth St., Newport, KY 41071, before 10:15 a.m. local time on Friday, March 28, 2025, at which time the bids will be publicly opened and read aloud. All bids shall be in a sealed envelope and clearly marked "Public Works Water Truck Bid" in the bottom left corner. All information on the bid form shall be typed, written, or printed in ink. Please do not use whiteout or correction tape on the bid form. The City of Newport is not responsible for the premature opening of or failure to open a sealed bid that is not properly addressed or identified. The City of Newport reserves the right to reject all bids and waive all formalities in the award of the bid.

METHOD OF AWARD

The City of Newport reserves the right to reject all bids and waive all formalities in the award of the bid. The bids shall be evaluated based on the following criteria:

- Price
- Service Availability
- Delivery of vehicles within 90 calendar days of bid acceptance

QUANTITIES AND LENGTH OF CONTRACT

This contract is for the delivery of one (1) new 2025 Aluminum 2500 Gallon Water Truck.

This contract includes the option to allow the City to purchase multiple vehicles as listed above if available. The City's use of this option will be dependent upon the price quoted by the Bidder and the availability of funding. The City may exercise or assign this option up to one (1) year of the bid opening date. The City reserves the right to negotiate for additional vehicle purchase under the same terms and conditions as set forth under this bid within ninety (90) days from bid opening.

VENDOR INFORMATION

The vehicles offered under this bid shall be new and unused. The units offered for bid shall meet or exceed the specifications attached to this bid package and shall be considered minimums unless otherwise indicated. Adequate vendor information shall be included with the bid to determine whether the vehicles meet the specifications. Any exceptions shall be explained in writing and submitted as part of the bid package.

PRE-DELIVERY INSPECTION

The dealer will inspect the vehicles before they are delivered. The inspection will consist of checking the vehicles' function, checking their accessories, and checking their appearance.



NEWPORT
KENTUCKY

Water Truck Specifications

ALUMINUM WATER TANK ASSEMBLY SHALL INCLUDE:

- Rib Free Exterior.
- 1/4" 5454 Barrel.
- 5/16" 5454 ASME Dished Heads.
- Full Length Skids.
- (2) Full Flanged & Dished Heads For Baffles.
- Full Doubler Plate (Bottom 1/3rd of Tank Double Plated)
- Hose Trays W.Rear Tail Light Sections.
- 20" Top Manway .
- Ladder.
- Rubber Sills

3" FILL LINE W/SWIVEL

SIGHT TUBE 1" (WATER)

2.5" HYDRANT FILL VALVE

TRUCK MOUNT COMPLETE STANDARD WIRING ASSEMBLY SHALL INCLUDE

- Junction Box
- (2) LED Work Light
- Wiring Harness Kit
- Back Up Alarm
- Switch Box
- LED DOT Light Kit
- Lighted License Plate Bracket

TOOL BOX,18"X18"X36" ALUMINUM W/DROP DOWN DOOR

TOOLBOX FRAME MOUNT (LEFT HAND)

TOOLBOX FRAME MOUNT (RIGHT HAND)

MUDFLAP KIT FOR (ALUM) TRUCK MOUNT (4 MUDFLAP ASSEMBLIES)

TRUCK FRAME REAR END CAP (ALUM)

REAR BUMPER (ADJUSTABLE) INSTALLATION KIT

CHELSEA HOT SHIFT PTO

DRIVE SHAFT ASS'Y, 2" TUBULAR W/ 1 1/8" & 1 1/4" YOKES (1310)

PUMP, BERKELEY 4X3 (CW) B3ZRMSSHAFT DIA 1 1/8" (NPT) B68414

PUMP MOUNTING RACK

CAB AIR CONTROL CONSOLE, (4) SWITCHES (UTE #2695)

PLUMBING WATER FROM TANK, PUMP TO TRUCK

BERMAD 3"VALVE MODEL 405 GROOVED (GLOBE STYLE)

BERMAD VALVES SHALL BE LOCATED:

- 1-Controls front spray heads - air operated.
- 1-Controls behind cab left spray head - air operated.
- 1-Controls behind cab right spray head - air operated.
- 1-Controls rear spray heads-air operated.
- 1-Controls rear spray bar-air operated

SPRAY NOZZLE WELDMENT (3" GROOVE CONNECTION)- 2 Front and 2 Rear

SPRAY NOZZLE WELDMENT (3" GROOVE CONNECTION) SIDE SPRAY NOZZLE-Behind the cab driver left side

REAR SPRAY BAR

VICTAULIC COUPLING AND FITTINGS PLUMBING



NEWPORT
KENTUCKY

TM, 4 MOUNT KIT (ALL SPRING LOADED) ALUM

TRUCK International MV607, 4x2 Cummins L9, 300 HP (33000 GVWR)

Color White
Interior Color Gray
Wheelbase 207"
GVWR 33,000
Tire Size 11R22.5
Aluminum Wheels
Heated Mirrors
Chrome Bumper
Cruise Control
Air Conditioning
Full Locking Rear Axle
Engine Cummins B.67
Engine Exhaust Brake
Transmission Model Allison 3500 RDS
FA Weight 12,000
RA Weight 21,000
Ratio 5.29
Left Fuel Tank 50 Gallons

ADDITIONAL OPTIONS TO BE CONSIDERED:

FRONT BUMPER MOUNTED MONITOR WATER CANNON

-200 GPM Electric Nozzle for Monitor
-3" Bermad Valve Grooved Globe Style Valve
-Max Flow 750 GPM
-Max Pressure 250 PSI, (17.2 Bar)
-Inlet 2.5 NPT
-Outlet 2.5 NPT
-Vertical Travel 135 degrees
-Horizontal Travel Max 350 degrees
-Swing Radius 9.0"
-Stow Height 13.2"
-Weight 17 lbs.
-Voltage 12 or 24 VDC
Stream Reach
-@350 GPM, 125'
-@500 GPM, 150'
-@700 GPM, 175'

HANNAWAY HOSE REEL with AIR MOTOR

-50' 1 1/4" 200 EPDM HOSE with NPT Ends
-Brass Female x Male Hex 1 1/4" Female NPT x 1 1/4" NST
-Constant Flow Thermoplastic Nozzle
-3" Bermad Grooved Globe Style Valve
-Frame Mounted

BID FORM FOR CITY OF NEWPORT, KY PUBLIC WORKS VEHICLE



NEWPORT
KENTUCKY

All information on the bid form shall be typed or printed in ink. Please do not use whiteout or correction tape on the bid form. Please print clearly.

Company: _____

Contact: _____

Address: _____

Phone: _____

Email: _____

Federal Tax ID: _____

CAN YOU MEET OR EXCEED THIS SPECIFICATION?

YES _____ NO _____

One (1) new 2025 Aluminum 2500 Gallon Water Truck

BASE PRICE \$ _____

ALTERNATES/ADDITIONAL CHARGES \$ _____

TOTAL PRICE \$ _____

Proposed Delivery Time Frame
After Receiving Order _____

Printed Name of Authorized Representative _____

Signature of Authorized Representative _____

Date Submitted _____